

//**B** 

# L-SERIES COUNTERBALANCED BIG JOE L15

1.5T SIT-DOWN LITHIUM FORKLIFT

#### L15 LI-ION COUNTERBALANCE TRUCK

Transform your warehouse with the versatile L15 counterbalance forklift for a cleaner, all-day performance.



## L-SERIES COUNTERBALANCED

## BIG JOE L15

1.5T SIT-DOWN LITHIUM FORKLIFT

## STANDARD EQUIPMENT

- MAINTENANCE FREE
- 240v, 15-amp single phase outlet on-board charger for opportunity charging
- Headlights and brake lights
- Yellow flashing beacon light
- Solid pneumatic tyres
- Dual steer solid pneumatic tyre
- Rear handle with secondary horn button for driving in reverse
- Container entry mast with side shift

## PERFORMANCE FEATURES:

- Clean power
- **Low-cost operation**
- Opportunity charging using 240 volt 15 amp outlets
- Ergonomic operators compartment



#### L15 IS IDEAL FOR:

- E-commerce
- · Food and Beverage Manufacturing
- · Food and Beverage Distribution
- · Pharmaceutical Manufacturing
- · Pharmaceutical Distribution
- Information Technology
- · Wholesale / Retail

## POWERFUL HYDRAULICS

Powerful hydraulic lift motor provides smooth high torque lifting and lowering. Hydraulic lift and drive components are sealed against dirt and water protecting them from contamination.

#### ONBOARD CHARGER

An AC brushless motor ensures that L15 is very low maintenance and reduces operating costs.

Neutral braking stops roll-back and allows higher travel speeds.

A 30-parameter diagnostic alone make display can be adjusted for a versatile corange of loads, working conditions, and operator skills.

## ADVANCED ELECTRICAL SYSTEM

Just plug and play for all-day performance. Our advanced Li-ion technology enables opportunity charging at any standard power outlet for non-stop operation. This alone makes the L-Series the most versatile counterbalance truck on the market.

## PERFORMANCE SPECIFICATIONS

#### **LIFT CAPACITY**

1500kg at 600mm load centre 1120kg to 4800mm at 600mm load centre

#### **BATTERY**

48 volt lithium batteries with 150 Ah capacity ZAPI AC travel control

#### **COMPACT SIZE**

With extra leg room for better ergonomics

#### LIFT

Up to 0.4m/s empty Up to 0.3m/s loaded

#### **LOWERING**

Up to 0.4m/s empty Up to 0.4m/s loaded

#### **TYRES**

Front Drive x 2 6.5-10 Solid pneumatic Dual Steer Tyre 5.00-8 Solid pneumatic



LITHIUM-ION BATTERY

#### PERFORMANCE AND PEOPLE

#### **OPERATOR COMPARTMENT**

Ergonomic, spacious cab, with wide view mast, hydrostatic power steering, adjustable steering column, and adjustable suspension seat, has made L15 a favourite with operators, enhancing their work comfort for long periods of time without fatigue.

#### **HYDRAULIC CONTROLS**

Lift/lower, tilt, and load side-shift are within easy reach of the operator. Plus, the side handrails aid operator comfort in a reverse driving position and the large "wide view" reversing mirror increases operation efficiency and safety for people and products.

## HIGH-STABILITY CHASSIS AND MAST

The L15 has a high-stability chassis with a long wheelbase, wide tires, and a low centre of gravity. This makes it a safe and stable truck to operate, even in challenging conditions. Wide view mast, low scuttle and high seating position gives the operator an excellent view, reducing load damage and accidents.



**ERGONOMIC CONTROLS** 

#### **EASY SERVICEABILITY**

Designed for easy serviceability, the L15 features a state-ofthe-art controller that is easily accessible at waist height, reducing service times.

#### **STANDARD**

#### **SMART LI-ION BATTERY.**


ISS Equipment is committed to clean electric power. All our Big Joe forklifts come standard with LIST, Lithium Integrated Smart Truck technology for higher performance and clean air for people and products.






( 134 234

issequipment.com.au





#### All measurements shown are maximum elevations in standard "millimeter" units.

Model	Mast	Lift height	Cool height	Free lift		Extended Height		
				Without Backrest	With Backrest	Without Backrest	With Backrest	Weight* (kg)
1500kg capacity @ 600mm Load center								
L15	3000	3000	1995	130	130	3485	4028	3030
L15	4800	4800	2150	1656	1122	5294	5828	3220

<sup>\*</sup> Estimated shipping weight without battery

